

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of claims:**

1. (cancelled).
2. (Previously Presented) The particle of claim 8, wherein the second coating layer substantially covers the first coating layer.
3. (Previously Presented) The particle of claim 8, wherein the active ingredient is selected from the group consisting of a nonsteroidal anti-inflammatory drug, acetaminophen, pseudoephedrine, phenylpropanolamine, chlorpheniramine, dextromethorphan, diphenhydramine, dimenhydrinate, meclizine, famotidine, loperamide, ranitidine, cimetidine, astemizole, loratadine, desloratadine, fexofenadine, cetirizine, antacids, pharmaceutically acceptable salts thereof, metabolites thereof, and mixtures thereof.
4. (Previously Presented) The particle of claim 8, wherein the taste masking agent is comprised of a mixture of a) an enteric polymer; and b) an insoluble film forming polymer.
5. (Original) The particle of claim 4, wherein the enteric polymer is selected from the group consisting of hydroxypropyl methylcellulose phthalate, hydroxypropyl methylcellulose acetate succinate, cellulose acetate phthalate, and mixtures thereof.
6. (Original) The particle of claim 4, wherein the insoluble film forming polymer is selected from the group consisting of cellulose acetate, ethylcellulose, and mixtures thereof.
7. (Original) The particle of claim 4, wherein the weight ratio of enteric polymer to insoluble film forming polymer in the first coating layer is in the range of about 20:80 to about 80:20.
8. (Currently Amended) A texture masked particle comprising
  - a) a core containing an active ingredient;

- b) a first coating layer comprised of a taste masking agent that substantially covers the core; and
- c) a second coating layer on the surface of the first coating layer, the second coating layer comprised of
  - i) a film forming polymer; and
  - ii) an anti-grit agent,

~~which meets the USP dissolution specification for immediate release dosage forms containing~~ wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 10:90 to about 90:10 ~~the particular active ingredient.~~

9. (Previously Presented) The particle of claim 8 wherein the film forming polymer is selected from the group consisting of hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, and sodium carboxy methyl cellulose, starches, alginates, polyvinyl alcohols, xanthan gums, guar gums, polysaccharides, pectins, gelatins, and mixtures thereof.

10. (Previously Presented) The particle of claim 8 wherein the anti-grit agent is selected from the group consisting of polyethylene oxide, polyethylene glycol, and mixtures thereof.

11. (Previously Presented) The particle of claim 8 wherein the second coating layer is comprised of a mixture of hydroxypropyl methylcellulose and polyethylene glycol.

12. (Cancelled).

13. (Previously Presented) The particle of claim 8 wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 50:50.

14. (Previously Presented) A tablet comprised of the particles of claim 8 .

15. (cancelled).

16. (Previously Presented) The chewable tablet of claim 18, wherein the first coating layer is substantially free of plasticizer.

17. (Previously Presented) The chewable tablet of claim 18, wherein the active ingredient is a nonsteroidal anti-inflammatory drug, acetaminophen, pseudoephedrine, phenylpropanolamine, chlorpheniramine, dextromethorphan, diphenhydramine, dimenhydrinate, meclizine, famotidine, loperamide, ranitidine, cimetidine, astemizole, loratadine, desloratadine, fexofenadine, cetirizine, antacids, pharmaceutically acceptable salts thereof, metabolites thereof, and mixtures thereof.

18. (Currently Amended) A chewable tablet comprised of texture masked particles, said texture masked particles comprising

- a) a core containing an active ingredient;
- b) a first coating layer comprised of a taste masking agent that substantially covers the core; and
- c) a second coating layer on the surface of the first coating layer, the second coating layer comprised of
  - i) a film forming polymer; and
  - ii) an anti-grit agent, ~~wherein said~~

~~chewable tablet meets the USP dissolution specification for immediate release chewable tablets containing wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 10:90 to about 90:10 the particular active ingredient.~~

19. (Previously Presented) The chewable tablet of claim 18 wherein the film forming polymer is selected from the group consisting of hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, and sodium carboxy methyl cellulose, starches, alginates, polyvinyl alcohols, xanthan gums, guar gums, polysaccharides, pectins, gelatins, and mixtures thereof.

20. (Previously Presented) The chewable tablet of claim 18 wherein the anti-grit agent is selected from the group consisting of polyoxyethylene glycol, polyethylene glycol, and mixtures thereof.

21. (Previously Presented) The chewable tablet of claim 18 wherein the second coating layer is comprised of a mixture of hydroxypropyl methylcellulose and polyethylene glycol.

22. (Previously Presented) The chewable tablet of claim 18 wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 50:50 ~~to about 50:50 40:60 to about 90:10.~~

23. (Cancelled).

24. (Previously Presented) The rapidly disintegrating tablet of claim 26, wherein the first coating layer or the second coating layer is substantially free of plasticizer.

25. (Previously Presented) The rapidly disintegrating tablet of claim 26, wherein the active ingredient is a nonsteroidal anti-inflammatory drug, acetaminophen, pseudoephedrine, phenylpropanolamine, chlorpheniramine, dextromethorphan, diphenhydramine, dimenhydrinate, meclizine, famotidine, loperamide, ranitidine, cimetidine, astemizole, loratadine, desloratadine, fexofenadine, cetirizine, antacids, pharmaceutically acceptable salts thereof, metabolites thereof, and mixtures thereof.

26. (Currently Amended) A rapidly disintegrating tablet comprised of texture masked particles, said texture masked particles comprising

- a) a core containing an active ingredient;
- b) a first coating layer comprised of a taste masking agent that substantially covers the core; and
- c) a second coating layer on the surface of the first coating layer, the second coating layer comprised of
  - i) a film forming polymer; and
  - ii) an anti-grit agent, ~~wherein said~~

~~tablet meets the USP dissolution specification for immediate release chewable tablets containing~~ wherein the weight ratio of film forming polymer to anti-grit agent in the

second coating layer is in the range of about 10:90 to about 90:10 ~~the particular active ingredient.~~

27. (Previously Presented) The rapidly disintegrating tablet of claim 26 wherein the film forming polymer is selected from the group consisting of hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, and sodium carboxy methyl cellulose, starches, alginates, polyvinyl alcohols, xanthan gums, guar gums, polysaccharides, pectins, gelatins, and mixtures thereof.

28. (Previously Presented) The rapidly disintegrating tablet of claim 26 wherein the anti-grit agent is selected from the group consisting of polyoxyethylene glycol, polyethylene glycol, and mixtures thereof.

29. (Previously Presented) The rapidly disintegrating tablet of claim 26 wherein the second coating layer is comprised of a mixture of hydroxypropyl methylcellulose and polyethylene glycol.

30. (Previously Presented) The rapidly disintegrating tablet of claim 26 wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 50:50 to about 50:50 ~~10:90 to about 90:10.~~

31. (Currently Amended) A method of texture masking particles comprising an active ingredient, which comprises:

- a) applying a substantially continuous first coating layer over the particles, the first coating layer comprising a taste masking agent; and
- b) applying a second coating layer on the surface of the first coating layer, the second coating layer comprising a mixture of 1) a film forming polymer; and 2) an anti-grit agent, wherein the wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 10:90 to about 90:10 ~~particles meet the USP dissolution specification for immediate release dosage forms containing the particular active ingredient.~~

32. (Original) The method of claim 31, wherein the active ingredient is a nonsteroidal anti-inflammatory drug, acetaminophen, pseudoephedrine, phenylpropanolamine, chlorpheniramine, dextromethorphan, diphenhydramine, dimenhydrinate, meclizine, famotidine, loperamide, ranitidine, cimetidine, astemizole, loratadine, desloratadine, fexofenadine, cetirizine, antacids, pharmaceutically acceptable salts thereof, metabolites thereof, and mixtures thereof.

33. (Original) The method of claim 31 wherein the film forming polymer is selected from the group consisting of hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, and sodium carboxy methyl cellulose, starches, alginates, polyvinyl alcohols, xanthan gums, guar gums, polysaccharides, pectins, gelatins, and mixtures thereof.

34. (Original) The method of claim 31 wherein the anti-grit agent is selected from the group consisting of polyoxyethylene, polyethylene glycol, and mixtures thereof.

35. (Original) The method of claim 31 wherein the second coating layer is comprised of a mixture of hydroxypropyl methylcellulose and polyethylene glycol.

36. (Original) The method of claim 31 wherein the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 10:90 to about 90:10.

37- 72. (Cancelled)

73. (Currently Amended) A texture masked particle comprising

- a) a core containing an active ingredient;
- b) a first coating layer comprised of a taste masking agent that substantially covers the core; and
- c) a second coating layer on the surface of the first coating layer, the second coating layer comprised of
  - i) a film forming polymer; and
  - ii) an anti-grit agent,

wherein said particle has an average diameter of about 50 microns to about 500 microns and the weight ratio of film forming polymer to anti-grit agent in the second coating layer is in the range of about 10:90 to about 90:10 .